

Scharlab S.L.

Gato Pérez, 33. Pol. Ind. Mas d'en Cisa 08181 Sentmenat ↓ +34937456400 ☑ helpdesk@scharlab.com

CERTIFICATE OF ANALYSIS

< 0,005 %

≤ 0,005

Product Sulfuric acid, 95 - 98%, extra pure, Pharmpur®, Ph Eur, BP, NF		Batch 19676304	
AC2070	Quality	Quality release date 26/03/2019 Expiry date 03/2024	
Analysis	Batch value	Specifications	
Assay (Acidimetric)	95,99 %	95,0 - 98,0	
dentification	passes test	passes test	
Appearance of solution	clear and colourless	clear and colourless	
Density (20°/20°)	1,8370 g/mL	1,834 - 1,837	
Chlorides (CI)	< 0,005 %	≤ 0,005	
litrates (NO3)	passes test	passes test	
Arsenic (As)	< 0,0001 %	≤ 0,0001	
Heavy metals (as Pb)	< 0,0005 %	≤ 0,0005	
ron (Fe)	< 0,0025 %	≤ 0,0025	
Reducing substances	passes test	passes test	

Measurement

Residual solvents are analysed according to guideline CPMP/ICH/283/95.

Storage and use

Residue on ignition

For analytical uses. If the product is stored and unopened, this solution is stable for 5 years from the date of manufacturing. Keep tightly closed at room temperature. Avoid exposure to light.

Results marked with # are out of specifications. This certificate does not exempt the user from checking the results upon receipt of the goods. Any copy of our CoA may be obtained from our website at www.scharlab.com

M. Canet Laboratory Manager