

Scharlab S.L.

Crtra.Polinya a Sentmenat, Km 8,2 08181 Sentmenat +34937456400 Markov helpdesk@scharlab.com

CERTIFICATE OF ANALYSIS

SO0455_21091801/1

Product	Sodium hydroxide, solution 5 mol/l (5 N)		Batch	21091801
SO0455			Quality release date (06/09/2020
			Expiry date	09/2023
Analysis		Batch value	Specifications	±U
Factor		1,000	0,999 - 1,001	0,001

Preparation

This volumetric solution is prepared using gravimetric and volumetric procedures. 1mI = 0,200 g NaOH

Traceability

This solution was checked using a Scharlau's potassium hydrogen phthalate volumetric standard. This Scharlau's volumetric standard is traceable to Standard Reference Material from NIST SRM 84L potassium hydrogen phthalate

Uncertainty

It characterises the dispersion of the values that could be attributed to the mesurand. The limits of the uncertainty are given at a confidence level of 95% (k=2).

Measurement

The batch value is determined by means of potentiometric method (alkalimetric) at 20°C. The equipments involved in the analysis of this solution are validated periodically. Batch value certified at the time of measurement.

Storage and use

For volumetric titration.

If the product is stored and unopened, this solution is stable for 3 years from the date of manufacturing.

Keep tightly closed at room temperature. Avoid exposure to light and moisture.

We suggest shaking the bottle before use in order to homogenize the content.

The titre should be checked periodically by the user.

For laboratory use only

This certificate does not exempt the user from checking the results upon receipt of the goods. Any copy of our CoA may be obtained from our website at www.scharlab.com

