according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

#### Version number 15.0

Revision: 15.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Acetonitrile, UHPLC-MS
- · Article number: AC0391
- · CAS Number:
- 75-05-8
- **EC number:** 200-835-2
- Index number: 608-001-00-3
- · Registration number 01-2119471307-38-XXXX
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** For other specific uses: see attached exposure scenarios.
- Application of the substance / the preparation:
- Solvents Laboratory reagent Intermediate
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com
- Regional representation: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com
- · Further information obtainable from: technical department
- **1.4 Emergency telephone number:** Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

- Acute Tox. 4 H312 Harmful in contact with skin.
- Acute Tox. 4 H332 Harmful if inhaled.
- Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

according to 1907/2006/EC, Article 31 Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS (Contd. of page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS07 · Signal word Danger Hazard statements Highly flammable liquid and vapour. H225 H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye irritation. H319 Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use for extinction: CO2, powder or water spray. P370+P378 P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· vPvB: Not applicable.

Scharlau

Printing date 15.06.2022

# **SECTION 3: Composition/information on ingredients**

- 3.1 Chemical characterisation: Substances
- CAS No. Description 75-05-8 acetonitrile
- · Identification number(s)
- · EC number: 200-835-2 · Index number: 608-001-00-3

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product. Keep guiet and cover.

- Position and transport stably in side position.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- After skin contact: Generally the product does not irritate the skin. Immediately remove contaminated clothing.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Version number 15.0

Revision: 15.06.2022

(Contd. of page 2)

Trade name: Acetonitrile, UHPLC-MS

Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical advice.

· After eye contact:

Printing date 15.06.2022

Scharlau

Rinse opened eye for several minutes under running water. Then consult a doctor. In the event that the injured person wears contact lenses, they must be removed as long as they are not stuck to the eyes, otherwise additional damage could occur.

# After swallowing: Drink plenty of water and provide fresh air. Call

Drink plenty of water and provide fresh air. Call for a doctor immediately. Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The main symptoms are described for different cases of contact: Skin, eyes, inhalation and ingestion.

**4.3** *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

- Suitable extinguishing agents: Fire-extinguishing powder Alcohol resistant foam Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Pressurized water jet 5.2 Special hazards arising from the substance or mixture

# Vapours may form explosive mixtures with air.

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Hydrogen cyanide (HCN)

Nitrogen oxides

- Carbon monoxide (CO)
- Highly flammable liquid and vapor.
- 5.3 Advice for firefighters

#### • Protective equipment: Wear self-contained respiratory protective device.

Mouth respiratory protective device.

- Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system. Cool endangered receptacles with water spray.

In the event of a major fire and large quantities, evacuate the area and fight the fire from a distance given the risk of explosion.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Isolate leaks as long as it does not pose an additional risk to the people who perform this function. Eliminate all sources of ignition.

Evacuate and restrict access.

Ensure adequate ventilation

- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31 Version number 15.0

Revision: 15.06.2022

	Trade name: Acetonitrile, UHPLC-MS	
	Ensure adequate ventilation	(Contd. of page 3)
	Ensure adequate ventilation. • 6.4 Reference to other sections	
	See Section 7 for information on safe handling.	
	See Section 7 for information on personal protection equipment.	
	See Section 13 for disposal information.	
		`
	SECTION 7: Handling and storage	
	· 7.1 Precautions for safe handling	
	Work only in fume cupboard.	
	Wear an individual protective equipment.	
	Wear chemically sealed goggles and / or face shield.	
	Avoid contact with eyes and skin.	
	Ensure good ventilation/exhaustion at the workplace.	
	Avoid breathing mist/vapours/spray.	
	Do not eat, drink or smoke during use.	
	Wash hands after any manipulation.	
	Have an eye wash bottle or eye shower available at the workplace.	
	Information about fire - and explosion protection:	
	Protect from heat.	
	Protect against electrostatic charges.	
	Keep ignition sources away - Do not smoke.	
	Use explosion-proof apparatus / fittings and spark-proof tools.	
	• 7.2 Conditions for safe storage, including any incompatibilities     • Storage:	
	• Requirements to be met by storerooms and receptacles:	
	Store only in unopened original receptacles.	
	Store in a cool location.	:50
	Information about storage in one common storage facility:	N
	Do not store together with oxidizing, self-igniting substances or easily flammable pr	oducts.
	Store away from foodstuffs.	
	Do not store together with acids.	
	Do not store together with alkalis (caustic solutions).	
	Store away from oxidising agents.	
	Further information about storage conditions:	
1	Protect from humidity and water.	
	Protect from heat and direct sunlight.	
	Keep container tightly sealed.	
	Store in cool, dry conditions in well sealed receptacles.	
	<ul> <li>7.3 Specific end use(s) No further relevant information available.</li> </ul>	
	SECTION 8: Exposure controls/personal protection	
	· 8.1 Control parameters	
	· Additional information about design of technical facilities: No further data; see	e item 7.
	· Ingredients with limit values that require monitoring at the workplace:	
	75-05-8 acetonitrile	
	WEL Short-term value: 102 mg/m <sup>3</sup> , 60 ppm	. ( )
	Long-term value: 68 mg/m <sup>3</sup> , 40 ppm	

DNELs

Scharlau

Printing date 15.06.2022

- DNEL worker, acute. Local effects: Inhalative 70 mg/m3 DNEL worker, acute. Systematic effects: Inhalative 70 mg/m3 DNEL worker, cronic. Acute local and systematic effects: Inhalative 102 mg/m3 DNEL worker, cronic. Systematic effects: Dermic 20 mg/kg body weight

(Contd. on page 5)



according to 1907/2006/EC, Article 31


Printing date 15.06.2022

Scharlau

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS



#### Eye protection:



Tightly sealed goggles

wise choic

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 15.06.2022 Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

Scharlau

(Contd. of page 5) **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: Colourless Ether-like · Odour: · Odour threshold: 170 ppm · pH-value: Not determined. · Change in condition -46 °C Melting point/freezing point: Initial boiling point and boiling range: 81 °C · Flash point: 2°C Flammability (solid, gas): Not applicable. 525 °C Ignition temperature: Not determined. Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not explosive. However, formation of Explosive properties: explosive air/vapour mixtures are possible. · Explosion limits: Lower: 4.4 Vol % 16 Vol % **Upper:**  Vapour pressure at 20 °C: 97 hPa Density at 20 °C: 0.79 a/cm<sup>3</sup> Relative densitv Not determined. Vapour density 1.42 (20°C, 1 atm) · Evaporation rate Not determined. · Solubility in / Miscibility with Fully miscible. water: Not determined. Partition coefficient: n-octanol/water: · Viscositv: Dynamic at 20 °C: 0.35 mPas Kinematic: Not determined. · 9.2 Other information No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity
   Highly flammable liquid and vapor.
   Stable under normal conditions. If used according to the regulation no decomposition occurs.
   10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. To avoid thermal decomposition do not overheat.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat, open flames and sparks

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Carbon dioxide

Hydrogen cianide (HCN)

Scharlau

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

· 10.5 Incompatible materials: Strong acids Strong alkalis Strong oxidizing agents. Perchlorates 10.6 Hazardous decomposition products: Nitrogen oxides (NOx) Carbon monoxide

(Contd. of page 6)

## **SECTION 11: Toxicological information**

 11.1 Information on toxicological effects Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

LD/LC50 values relevant for classification: Oral LD50 617 mg/kg (mouse)

1.68-8.53 mg/kg (rat)

>2000 mg/kg (rabbit) LD50

Dermal Inhalative LC50/4 h 6.022 mg/l (mouse)

- 26.8 mg/l (rat)
- Primary irritant effect: Skin corrosion/irritation

Skin - Rabbit Result: No irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Buehler test - Guinea pig **Result: negative (ECHA)**
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity In vitro mammalian cell gene mutation test.

Result: negative Germ cells mutagenicity

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by (IARC) International Agency of Research of Carcinogens.

Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity

- Aquatic toxicity:
- Toxicity to fish

LC50 - Pimephales promelas (Fathead piscardo) - 1640 mg/L - 96 h

CL50 - Oryzias latipes (Carp) - >1000 mg/L (48h)

(Contd. on page 8)




Printing date 15.06.2022

# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 15.0

Revision: 15.06.2022



according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

			(Contd. of page 8)
	<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	1	
	• 14.5 Environmental hazards:		
	Marine pollutant:	No	
	14.6 Special precautions for user	Warning: Flammable liquids.	
	· Hazard identification number (Kemler code):	33	
	· EMS Number:	F-E,S-D	
	Stowage Category	В	
	Stowage Code	SW2 Clear of living quarters.	
	14.7 Transport in bulk according to Annex II		
	of Marpol and the IBC Code	Not applicable.	
	Transport/Additional information:		
	· ADR		
	Limited quantities (LQ)	1L	
	Transport category	2	
	Tunnel restriction code	D/E	
	· UN "Model Regulation":	UN 1648 ACETONITRILE, 3, II	
_			

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

- Named dangerous substances ANNEX I -
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008
   The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
- · Department issuing SDS: product safety department
- Contact: msds@scharlab.com
   Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 10)





The wise choice

the wise choice

# Safety data sheet

according to 1907/2006/EC, Article 31

NISE

The wise choice

The wise choice

Printing date 15.06.2022

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 11)

The wise choice

The wise choice

the wise choice

The wise choice

(Contd. of page 9)

wise cho

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

#### Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

(Contd. of page 10)

### Annex: Exposure scenario 1

- · 1 Short title of the exposure scenario Industrial use
- · Sector of Use
  - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
- SU9 Manufacture of fine chemicals

## Product category

- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC35 Washing and cleaning products (including solvent based products)
- PC40 Extraction agents

#### Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
 PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
 PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including

weighing)

#### · Environmental release category

- ERC1 Manufacture of the substance
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6a Use of intermediate

ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)

- ERC7 Use of functional fluid at industrial site
- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- · Duration and frequency 5 workdays/week.
- · Worker Regular use with exposure up to 8 hrs. per workday.
- · Physical parameters
- The data on the physical chemical properties in the Exposure Scenario is based on the properties of the preparation.
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- Used amount per time or activity >1000 tons per year
- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure
- Gloves required during a shift Avoid contact with eyes.
- Avoid contact with the skin.
- Do not breathe gas/vapour/aerosol.
- Take precautionary measures against static discharge.
- Keep away from sources of ignition No smoking.
- Other operational conditions affecting consumer exposure during the use of the product The consumer has to be advised of the maximum permissible frequency and duration of use in the instructions for use.
- The directions for use must indicate the limits for proper use.

(Contd. on page 12)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS				
	(Contd	of page 11)		
	· Risk management measures	or page 11)		
	Worker protection			
	Organisational protective measures			
	Ensure good ventilation. This can be achieved by using a local exhaustion or general			
	system. If these measures are insufficient to keep the solvent vapour concentration b	elow the		
	workplace limit, wear an adequate respiratory protective device.			
	Technical protective measures			
	Provide explosion-proof electrical equipment.			
	Ensure that suitable extractors are available on processing machines			
	Personal protective measures			
	Do not inhale gases / fumes / aerosols. Avoid contact with the skin.			
	Avoid contact with the eyes.			
	Tightly sealed goggles			
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive	or longer		
	exposure use self-contained respiratory protective device.	orionger		
	Protective gloves			
	The glove material has to be impermeable and resistant to the product/ the substa	ince/ the		
	preparation.			
	Due to missing tests no recommendation to the glove material can be given for the pro	duct/ the		
	preparation/ the chemical mixture.			
	Selection of the glove material on consideration of the penetration times, rates of diffusion	n and the		
	degradation			
	Measures for consumer protection Ensure adequate labelling.			
e	• Environmental protection measures No special measures required.			
	Air No special measures required.			
	• Water No special measures required.			
	<ul> <li>Soil No special measures required.</li> <li>Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet</li> </ul>			
	• Disposal measures			
	Disposal must be made according to official regulations.			
	Ensure that waste is collected and contained.			
	· Disposal procedures			
	Must not be disposed together with household garbage. Do not allow product to reach	sewage		
	system.			
	Waste type Partially emptied and uncleaned packaging			
	· 3 - Exposure estimation			
	· Worker (dermal)			
	Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.			
	PROC 1: 0.343 (mg/kg/d) PROC 2: 1.37 (mg/kg/d)			
	PROC 2: 1.37 (hig/kg/d) PROC 3: 0.343 (mg/Kg/d)			
	PROC 4: 6.86 (mg/kg/d)			
	PROC 8a: 13.71 (mg/kg/d)			
	PROC 8b: 6.86 (mg/kg/d)			
.(	PROC 9: 0.686 (mg/kg/d)			
0)	· Worker (inhalation)			
	Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.			
	PROC 1: 0.012 (mg/m3)			
	PROC 2: 12.0 (mg/m3)			
	PROC 3: 29.9 (mg/m3)	æ		
	PROC 4: 24.0 (mg/m3)			
	PROC 8a: 60.0 (mg/m3) PROC 8b: 60.0 (mg/m3)			
	PROC 80. 60.0 (fig/fil3) PROC 9: 0.855 (mg/m3)			
	· Environment			
	Water: No exposure			

(Contd. on page 13)



according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Soil: No exposure

Scharlau

The wise choice

the wise choice

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

(Contd. of page 12)

Purification plant: No exposure
Humans via environment: No exposure *A - Guidance for downstream users*Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.
Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.
For the risk assessment, the tools recommended by ECHA can be used.

the wise choice

The wise choice

(Contd. on page 14)

The wise choice

The wise choice

ine wise choice

ine wise choice

#### Page 14/15

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

#### Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

(Contd. of page 13)

### Annex: Exposure scenario 2

- · 1 Short title of the exposure scenario Laboratory use
- Sector of Use SU24 Scientific research and development
- Product category
   PC21 Laboratory chemicals
- PC40 Extraction agents
- Process category

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC15 Use as laboratory reagent

#### Environmental release category

- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC6a Use of intermediate
- ERC7 Use of functional fluid at industrial site
- Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- 2 Conditions of use
- · Duration and frequency 5 workdays/week.
- · Worker Regular use with exposure up to 8 hrs. per workday.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture Raw material.
- Used amount per time or activity >1000 tons per year
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure
- Observe section 6 of the Safety Data Sheet (Accidental release measures).

#### Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- · Risk management measures
- Worker protection
- Organisational protective measures

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Ensure that activities are executed by specialists or authorised personnel only.

- Technical protective measures
- Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

#### Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 15)

according to 1907/2006/EC, Article 31

Printing date 15.06.2022

Scharlau

vise choice

le wise choi

Version number 15.0

Revision: 15.06.2022

Trade name: Acetonitrile, UHPLC-MS

(Contd. of page 14) · Measures for consumer protection Ensure adequate labelling. · Environmental protection measures No special measures required. · Air No special measures required. · Water No special measures required. · Soil No special measures required. · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet. · Disposal measures Ensure that waste is collected and contained. · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Waste type Partially emptied and uncleaned packaging · 3 - Exposure estimation · Worker (oral) No significant oral exposure Worker (dermal) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. PROC 3: 0.343 (mg/kg/d) PROC 15: 0.034 (mg/kg/d) Worker (inhalation) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra. PROC 3: 8.55 (mg/m3) PROC 15: 3.42 (mg/m3) Environment Water: No exposure Purification plant: No exposure Soil: No exposure Humans via environment: No exposure 4 - Guidance for downstream users Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8. Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment. For the risk assessment, the tools recommended by ECHA can be used.

wise

he wise choi