Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Sulfuric acid, solution 10% w/v, EssentQ®
- · Article number: AC2068
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the preparation: Laboratory reagent
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN
 Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
 email: scharlab@scharlab.com
 Internet Web Site: www.scharlab.com

Regional representation: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

Further information obtainable from: Technical Department

 1.4 Emergency telephone number: Toxicological Information National Institute of Toxicology and Forensic Sciences: + 34 91 562 04
 20. The information will be provided (24h/365 days)
 Please contact the regional Scharlab distributor/dealer in your country
 During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)


Printing date 25.05.2023 Vers

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®



Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 C 2 Empiremental precautions:
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Do not eat, drink or smoke during use.
 Wash hands after handling.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- See product label for storage temperature.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7664-93-9 sulphuric acid

- WEL Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- · Odour:
- Odour threshold:

Fluid Colourless Odourless Not determined.

(Contd. on page 5)

Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

(Contd. of page 4)

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®

 Melting point/freezing point: · Boiling point or initial boiling point and

- boiling range
- · Flammability
- Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:
- Decomposition temperature:
- ·pH
- Viscosity:
- Kinematic viscosity
- · Dynamic:
- Solubility
- · water:
- Partition coefficient n-octanol/water (log value)
- Vapour pressure at 20 °C:
- Density and/or relative density
- · Density at 20 °C:
- Relative density
- · Vapour density
- 9.2 Other information
- Appearance:
- Form:
- Important information on protection of health and environment, and on safety.
- · Ignition temperature:
- Explosive properties:
- · Solvent content:
- · Water:
- · Solids content:
- Change in condition
- Evaporation rate
- Information with regard to physical hazard classes
- · Explosives
- · Flammable gases
- · Aerosols
- · Oxidising gases
- · Gases under pressure
- · Flammable liquids
- Flammable solids
- Self-reactive substances and mixtures
- Pyrophoric liquids
- Pyrophoric solids
- Self-heating substances and mixtures
- · Substances and mixtures, which emit flammable gases in contact with water
- Oxidising liquids
- Oxidising solids
- Organic peroxides
- Corrosive to metals

Undetermined.

100 °C Not applicable.

Not determined. Not determined. Not applicable. Not determined. Not determined.

Not determined. Not determined.

Fully miscible.

Not determined. 23 hPa

1.0792 g/cm3 Not determined. Not determined.

Fluid

Product is not selfigniting. Product does not present an explosion hazard.

90.6 % 9.4 %

Void

Not determined.

Void May be corrosive to metals.

(Contd. on page 6)

Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®

· Desensitised explosives

Void

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 25.05.2023

Scharlau

Version number 5.0 (replaces version 4.0)

Revision: 25.05.2023

Trade name: Sulfuric acid, solution 10% w/v, EssentQ®

(Contd. of page 6) • **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es) 	UN2796 2796 SULPHURIC ACID SULPHURIC ACID
- ADR, IMDG, IATA	e choice
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	
14.5 Environmental hazards:	
• Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler cod EMS Number:	
Segregation groups	F-A,S-B (SGG1) Acids
Stowage Category	B
14.7 Maritime transport in bulk according	
IMO instruments	Not applicable.
• Transport/Additional information:	
ADR	
· Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	E
· UN "Model Regulation":	UN 2796 SULPHURIC ACID, 8, II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- Named dangerous substances ANNEX I N/A
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

(Contd. on page 8)

Printing date 25.05.2023 Version number 5.0 (replaces version 4.0) Revision: 25.05.2023 Trade name: Sulfuric acid, solution 10% w/v, EssentQ® (Contd. of page 7) H314 Causes severe skin burns and eye damage.

- · Department issuing SDS: Product Safety Department
- · Contact: msds@scharlab.com

Scharlau

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Met. Corr.1: Corrosive to metals Category 1
- Skin Corr. 1A: Skin corrosion/irritation Category 1A Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2