Revision: 02.06.2021



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Version number 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

· Article number: AC3001

· CAS Number:

87-69-4

· EC number:

201-766-0

- Registration number 01-2119537204-47-XXXX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

· Regional representation:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

- · Further information obtainable from: technical department
- · 1.4 Emergency telephone number:

Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard statements

H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 1)

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

3.1 Chemical characterisation: Substances

· CAS No. Description

87-69-4 (+)-tartaric acid

· Identification number(s)

• EC number: 201-766-0

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Do NOT use pressurized water.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 2)

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 3)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Colour:
Odour:
Odour:
Odour threshold:

PH-value:
Crystalline
White
Odourless
Not determined.
Not applicable.

· Change in condition

Melting point/freezing point: 166-169 °C Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable.

• Flammability (solid, gas): Product is not flammable.

Decomposition temperature: Not determined.
 Auto-ignition temperature: Not determined.

• Explosive properties: Product does not present an explosion hazard.

**Explosion limits:** 

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not applicable.

Density at 20 °C:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with

water at 22 °C: 1366 g/l

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. Kinematic: Not applicable.

• 9.2 Other information No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
   No decomposition if used according to specifications.
   Sensitivity to light.
- · 10.3 Possibility of hazardous reactions

Reacts with strong alkali. Reacts with strong acids.

- · 10.4 Conditions to avoid Heat, open flames and sparks
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide

(Contd. on page 5)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 4)

Carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA

Void

- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Void

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 5)

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· UN "Model Regulation": Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I -
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: product safety department
- Contact: msds@scharlab.com
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 7)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 6)

#### **Annex: Exposure scenario 1**

- · 1 Short title of the exposure scenario Industrial use
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC21 Laboratory chemicals
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

- · Environmental release category ERC6a Use of intermediate
- Description of the activities / processes covered in the Exposure Scenario
   See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- · Duration and frequency

5 workdays/week.

8hrs (full working shift).

- · Physical parameters
- · Physical state Solid
- · Concentration of the substance in the mixture

It covers a percentage of substance in the product up to 100 %

Raw material.

- · Other operational conditions
- · Other operational conditions affecting worker exposure Avoid contact with eyes.
- · Risk management measures
- · Worker protection
- · Technical protective measures

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Tightly sealed goggles

Wear suitable gloves (tested to EN374)

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Soil No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

· Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · 3 Exposure estimation
- · Worker (dermal)

PROC 1: 0.118 (mg/kg/d)

(Contd. on page 8)



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 7)

PROC 3: 0.118 (mg/kg/d)
PROC 4: 0.236 (mg/kg/d)
PROC 8a: 0.473 (mg/kg/d)
PROC 8b: 0.473 (mg/kg/d)
PROC 9: 0.473 (mg/kg/d)
PROC 9: 0.473 (mg/kg/d)
• Worker (inhalation)
PROC 1: 0.002 (mg/m3)
PROC 2: 0.096 (mg/m3)
PROC 3: 0.192 (mg/m3)
PROC 4: 0.673 (mg/m3)
PROC 8a: 0.192 (mg/m3)
PROC 8b: 0.192 (mg/m3)
PROC 9: 0.192 (mg/m3)

PROC 2: 0.472 (mg/kg/d)

### · 4 - Guidance for downstream users

The wise thoice

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

he wise choice

For the risk assessment, the tools recommended by ECHA can be used.

(Contd. on page 9)

the wise choice

The wise choice



Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 8)

### **Annex: Exposure scenario 2**

- · 1 Short title of the exposure scenario Laboratory use
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC21 Laboratory chemicals
- · Process category PROC15 Use as laboratory reagent
- · Environmental release category ERC6a Use of intermediate
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- · Duration and frequency

5 workdays/week.

8hrs (full working shift).

- · Physical parameters
- · Physical state

Solid

Powder

· Concentration of the substance in the mixture

It covers a percentage of substance in the product up to 100 %

- · Other operational conditions Observe the general safety regulations when handling chemicals.
- Other operational conditions affecting worker exposure Avoid contact with eyes.
- · Risk management measures
- Worker protection
- · Organisational protective measures

Ensure that the working area is organised, well lit and ventilated, with enough space to handle spilled product.

Deploy only trained chemical workers.

Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

· Technical protective measures

Use product only in enclosed systems.

Work only in fume cupboard.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Tightly sealed goggles

Wear suitable gloves (tested to EN374)

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Soil No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

· Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · 3 Exposure estimation
- · Worker (dermal) PROC 15: 0.117 (mg/kg/d)
- · Worker (inhalation) PROC 15: 0.673 (mg/m3)

(Contd. on page 10)





The wise thoice

ine wise thoice

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.06.2021 Version number 1.0 Revision: 02.06.2021

Trade name: L(+)-Tartaric acid, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 9)

The wise choice

The wise thoice

#### · 4 - Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

the wise choice

the wise choice

For the risk assessment, the tools recommended by ECHA can be used.

the wise choice

The wise thoice