according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: 1-Propanol, for analysis, ExpertQ®
- · Article number: AL0437
- · CAS Number:
- 71-23-8
- *EC number:* 200-746-9
- Index number: 603-003-00-0
- · Registration number 01-2119486761-29-XXXX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
   Process category
- PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC15 Use as laboratory reagent

- · Application of the substance / the preparation: Laboratory reagent
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Scharlab, S.L.
  C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa
  08181 Sentmenat (Barcelona) SPAIN
  Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
  email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com • *Regional representation:* Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

- · Further information obtainable from: technical department
- · 1.4 Emergency telephone number:
- Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

Trade name: 1-Propanol, for analysis, ExpertQ®

(Contd. of page 1)

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS02 GHS05 GHS07

- Signal word Danger
- Hazard statements
- H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- CAS No. Description
- 71-23-8 propan-1-ol
- Identification number(s)
- EC number: 200-746-9
- · Index number: 603-003-00-0

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation:

Separate casualty from the danger zone. Place the affected in the most comfortable position and protéjasele cold.

Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

Trade name: 1-Propanol, for analysis, ExpertQ®

(Contd. of page 2) · After skin contact: Generally the product does not irritate the skin. Immediately rinse with water. Seek medical treatment. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. In the event that the injured person wears contact lenses, they must be removed as long as they are not stuck to the eyes, otherwise additional damage could occur. · After swallowing: Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Dizziness Nausea Gastric or intestinal disorders Headache 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically. If swallowed, gastric irrigation with added, activated carbon. **SECTION 5: Firefighting measures**  5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Fire may cause evolution of: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: In the work of extinction it is necessary to provide respiratory protection and full chemical protective clothing. Wear self-contained respiratory protective device. Wear fully protective suit. Cool exposed containers with water spray or mist. Do not inhale explosion gases or combustion gases. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. **SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side. Ensure adequate ventilation Keep away from ignition sources. Evacuate and restrict access. Isolate leaks as long as it does not pose an additional risk to the people who perform this function. Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Do not allow to penetrate the ground/soil.

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Version number 7.0

Revision: 20.07.2022

Trade name: 1-Propanol, for analysis, ExpertQ®

Scharlau

Printing date 20.07.2022

- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling
  Wear an individual protective equipment.
  Wear chemically sealed goggles and / or face shield.
  Avoid contact with eyes and skin.
  Do not eat, drink or smoke during use.
  Wash hands after any manipulation.
  Ensure good ventilation/exhaustion at the workplace.
  Information about fire and explosion protection:
- Information about fire and explosion protection:
   Keep ignition sources away Do not smoke.
   Protect against electrostatic charges.
   Use explosion-proof apparatus / fittings and spark-proof tools.
   Vapors are heavier than air and may spread along floors.
   Fumes can combine with air to form an explosive mixture.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool, dry, well-ventilated place. Store only in the original receptacle. Store at temperatures not exceeding 38°C
- Information about storage in one common storage facility:
   Store away from oxidising agents.
   Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7. • Ingredients with limit values that require monitoring at the workplace:

### ingredients with limit values that require monitoring

- 71-23-8 propan-1-ol
- WEL Short-term value: 625 mg/m<sup>3</sup>, 250 ppm Long-term value: 500 mg/m<sup>3</sup>, 200 ppm
- Sk • **DNELs**

DNEL worker, acute. Systematic effects: Inhalative - 1723 mg/m3
DNEL worker, cronic. Systematic effects: Inhalative - 268 mg/m3
DNEL worker, cronic. Systematic effects: Dermic - 136 mg/kg body weight
DNEL consumer, acute. Systematic effects: Inhalative - 1036 mg/m3
DNEL consumer, prolonged. Systematic effects:
Inhalative: 80 mg/m3
Dermic: 81 mg/kg body weight

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

Trade name: 1-Propanol, for analysis, ExpertQ®

(Contd. of page 4)

• PNECs PNEC (Fresh water): 10 mg/L

- Oral: 61 mg/kg body weight

- PNEC (Sea water): 1 mg/L
- PNEC (Freshwater sediments): 22.8 mg/kg
- PNEC (Seawater sediments): 2.28 mg/kg
- PNEC (Soil): 2.2 mg/kg
- PNEC (Residual water depuration system): 96 mg/kg
- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
- Form:
- Colour: Odour:
- · Odour threshold:
- · pH-value:

Fluid Colourless Alcohol-like Not determined.

7

· Change in condition

Melting point/freezing point:-127 °CInitial boiling point and boiling range: 97 °C

(Contd. on page 6)

#### Page 6/9

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

(Contd. of page 5)

Trade name: 1-Propanol, for analysis, ExpertQ®

- · Flash point:
- · Flammability (solid, gas):
- · Ignition temperature:
- · Decomposition temperature:
- · Auto-ignition temperature:
- Explosive properties:
- Explosion limits: Lower: Upper:
- Vapour pressure at 20 °C:
- · Density at 20 °C:
- · Relative density
- · Vapour density
- Evaporation rate
- Solubility in / Miscibility with water at 20 °C:
- · Partition coefficient: n-octanol/water:
- Viscosity: Dynamic at 20 °C: Kinematic:

· 9.2 Other information

15 °C

Not applicable.

395 °C

Not determined.

Not determined.

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

2.1 Vol % 13.5 Vol %

19 hPa

0.8035 g/cm<sup>3</sup> Not determined. Not determined. Not determined.

1 g/l

Not determined.

2.21 mPas Not determined.

No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Forms explosive gas mixture with air.
- 10.4 Conditions to avoid Heat, open flames and sparks
- 10.5 Incompatible materials:
- Strong acids
- Strong oxidizing agents.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if swallowed.
- LD/LC50 values relevant for classification:
- Oral LD50 >1870 mg/kg (rat)

Dermal LD50 4032 mg/kg (rabbit)

Inhalative LC50/4 h >33.8 mg/l (rat)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

(Contd. of page 6)

Trade name: 1-Propanol, for analysis, ExpertQ®

- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:
- Toxicity to fish
- LC50 Pimephales promelas (Fathead piscardo) 4555 mg/L 96 h
- Toxicity to daphnia and other aquatic invertebrates
- EC50 Daphnia magna (large sea flea) 3644 mg/L 48 h
- Toxicity to algae

CE50 - Pseudokirchneriella subcapitata (Green algae) - 9170 mg/L (48h) Toxicity to bacteria

- EC50 static test Activated sludge >1000 mg/L 3 min
- **12.2 Persistence and degradability** Biodegradation = 75 % Exposure time: 20 d
- Easily biodegradable • **12.3 Bioaccumulative potential** log Pow: 0.2 (20°C) Bioconcentration factor (BCF): 0.88
- **12.4 Mobility in soil** Log Koc: 0.633 (20°C) Surface tension: 70.8 mN/m
- Additional ecological information:
- General notes: Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation
   Must be specially treated adhering to official regulations.
   Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

Trade name: 1-Propanol, for analysis, ExpertQ®

(Contd. of page 7)

- · Uncleaned packaging:
- Recommendation:
- Packagings that may not be cleansed are to be disposed of in the same manner as the product. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

UN1274

NORMAL)

1274 n-PROPANOL (PROPYL ALCOHOL,

n-PROPANOL (PROPYL ALCOHOL, NORMAL)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA
- 14.2 UN proper shipping name
   ADR
- · IMDG, IATA
- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



·Class	3 Flammable liquids.
· Label	3
• 14.4 Packing group	10°
· ADR, IMDG, IATA	
<ul> <li>14.5 Environmental hazards:</li> </ul>	
· Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	
· EMS Number:	F-E,S-D
Stowage Category	B
· 14.7 Transport in bulk according to Annex II	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D/F
· UN "Model Regulation":	UN 1274 N-PROPANOL (PROPYL ALCOHOL,
	NORMAL), 3, II

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I -
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 20.07.2022

Scharlau

Version number 7.0

Revision: 20.07.2022

ine wise choice

Trade name: 1-Propanol, for analysis, ExpertQ®

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
   DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
- · Department issuing SDS: product safety department
- · Contact: msds@scharlab.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ewise

ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

wise choice

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

he wise choic

Eye Dam. 1: Serious eye damage/eye irritation - Category 1