according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

#### Version number 4.0

Revision: 02.06.2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: Antimony, standard solution 1000 mg/I Sb for AA (Sb in HCI 20%)
- Article number: AN0442
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L.
   C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN
   Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
   email: scharlab@scharlab.com
   Internet Web Site: www.scharlab.com
   Regional representation:

#### Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

Further information obtainable from: technical department

1.4 Emergency telephone number:

Toxicological Information National Institute of Toxicology and Forensic Sciences: + 34 91 562 04 20. The information will be provided (24h/365 days) Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 4.0

Revision: 02.06.2021

# Trade name: Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCl 20%)

(Contd. of page 1)

· Signal word D	anger
	nining components of labelling:
hydrochloric ac	
<ul> <li>Hazard statem</li> </ul>	ients of the second
H315 Causes s	kin irritation.
H318 Causes s	erious eye damage.
	se respiratory irritation.
Precautionary statements	
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· 2.3 Other haza	
· Results of PBT and vPvB assessment	
· RESULTS OF PD	

PBT: Not applicable.

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

#### · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: EINECS: 231-595-7 hydrochloric acid

10-25%

STOT SE 3, H335 · Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Skin Corr. 1B, H314; Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302;

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Version number 4.0

Revision: 02.06.2021

Trade name: Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCl 20%)

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 4.0

Revision: 02.06.2021

Trade name: Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCI 20%)

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- **General Information**
- Appearance: Form:
- Colour:
- · Odour:
- · Odour threshold:
- · pH-value:
- Change in condition Melting point/freezing point: Initial boiling point and boiling range: 100 °C

· Flash point:

- · Flammability (solid, gas):
- · Auto-ignition temperature:
- · Explosive properties:
- · Explosion limits: Lower: **Upper:**
- Vapour pressure at 20 °C:
- · Density at 20 °C:
- · Relative density
- Vapour density
- · Evaporation rate
- Solubility in / Miscibility with water:
- · Partition coefficient: n-octanol/water:

Fluid According to product specification Characteristic Not determined.

Not determined.

Undetermined.

Not applicable.

Not applicable.

Product is not selfigniting.

Product does not present an explosion hazard.

Not determined. Not determined.

## 23 hPa

1.058 g/cm<sup>3</sup> Not determined. Not determined. Not determined.

Not miscible or difficult to mix.

Not determined.

(Contd. on page 5)

wise

#### Page 5/7

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 4.0

Revision: 02.06.2021

*Trade name:* Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCl 20%)

 Viscosity: Dynamic: Kinematic:
 Solvent content: Water:
 Solids content:
 1.0 %
 9.2 Other information
 Not determined.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- · Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 4.0

Revision: 02.06.2021

Trade name: Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCI 20%)

(Contd. of page 5)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN-Number

- · ADR, IMDG, IATA
- 14.2 UN proper shipping name

· ADR

- · IMDG, IATA
- 14.3 Transport hazard class(es)

ie wise choic

ADR, IMDG, IATA

UN1789

1789 HYDROCHLORIC ACID mixture HYDROCHLORIC ACID

wise cho · Class 8 Corrosive substances. Label 8 14.4 Packing group · ADR, IMDG, IATA Ш 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B · Segregation groups Acids · Stowage Category F · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: · ADR Limited quantities (LQ) 1L · Transport category 2 Tunnel restriction code Е · UN "Model Regulation": UN 1789 HYDROCHLORIC ACID MIXTURE, 8, II

(Contd. on page 7)

Page 7/7

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 4.0

Revision: 02.06.2021

he wise choice

Trade name: Antimony, standard solution 1000 mg/l Sb for AA (Sb in HCl 20%)

(Contd. of page 6)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: product safety department
- Contact: msds@scharlab.com
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

1e wise choi

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

- Skin Cont. 1B. Skin corrosion/irritation Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eve Dam. 1: Serious eve damage/eve irritation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3