according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®
- · Article number: DI1071
- · CAS Number:
- 68-12-2
- *EC number:* 200-679-5
- Index number: 616-001-00-X
- · Registration number 01-2119475605-32-XXXX
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com Regional representation: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

- · Further information obtainable from: technical department
- **1.4 Emergency telephone number:** Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS08 health hazard

Repr. 1B

H360D May damage the unborn child.

GHS07

Acute Tox. 4 H312Harmful in contact with skin.Acute Tox. 4 H332Harmful if inhaled.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 1)

- Eye Irrit. 2 H319 Causes serious eye irritation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- Hazard statements
- H226 Flammable liquid and vapour.
- H312+H332 Harmful in contact with skin or if inhaled.
- H319 Causes serious eye irritation.
- H360D May damage the unborn child.
- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
2.2 Other hereite	

· 2.3 Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 68-12-2 N,N-dimethylformamide
- · Identification number(s)
- EC number: 200-679-5
- Index number: 616-001-00-X
- SVHC
- 68-12-2 N,N-dimethylformamide

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek medical treatment.
- · After inhalation:
- · After inhalation:
 - Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

	(Contd. of page 2)
In ca	se of unconsciousness place patient stably in side position for transportation.
	evere cases such as cardiorespiratory arrest, artificial respiration techniques such as mouth-to-
	th resuscitation, cardiac massage, oxygen supply, etc. will be applied.
	r skin contact:
	ediately remove contaminated clothing.
	ediately wash with water and soap and rinse thoroughly. h contaminated clothing before reuse.
	product causes burns or frostbite, clothing should not be removed because it could worsen the
	y if it sticks to the skin.
	e event of blisters forming on the skin, these should never be burst as this would increase the
	of infection.
lf sk	n irritation continues, consult a doctor.
	r eye contact:
	e opened eye for several minutes under running water. Then consult a doctor.
	e event that the injured person wears contact lenses, they must be removed as long as they are
	tuck to the eyes, otherwise additional damage could occur. r swallowing: Call a doctor immediately.
	Most important symptoms and effects, both acute and delayed
	main symptoms are described for different cases of contact: Skin, eyes, inhalation and
	stion.
	ndication of any immediate medical attention and special treatment needed
Trea	t symptomatically.
SEC	CTION 5: Firefighting measures
· 5.1	Extinguishing media
	able extinguishing agents:
	powder
Alco	hol resistant foam
Carb	on dioxide
	dif dioxide
	fire extinguishing methods suitable to surrounding conditions.
· For	fire extinguishing methods suitable to surrounding conditions. safety reasons unsuitable extinguishing agents: Pressurized water jet
· For · 5.2 :	Special hazards arising from the substance or mixture
• For • 5.2 : Duri	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced.
• For • 5.2 \$ Duri • 5.3 }	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters
• For • 5.2 \$ Duri • 5.3 \$ • Prot	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment:
• For • 5.2 \$ Duri • 5.3 \$ • Prot	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective
 For 5.2 S Duri 5.3 J Provide the set of the	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit.
 For 5.2 Duri 5.3 Provide the set of the set	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device.
 For 5.2 Duri 5.3 Provide the set of the set	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information
 For 5.2 Duri 5.3 Protection In the clother Weat Weat Addate Collection 	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system.
 For 5.2 Duri 5.3 Protection In the clother Weat Weat Addate Collection 	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information
 For 5.2 Duri 5.3 Protection In the clother Weat Weat Addate Collection 	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system.
 For 5.2 S Duri 5.3 J Proving In the clother weater we	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray.
 For 5.2 S Duri 5.3 J Proving In the clother weater we	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system.
 For 5.2 S Duri 5.3 J Provide the set of the	Special hazards arising from the substance or mixture In heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures
 For 5.2 S Duri 5.3 J Provide the set of the	Special hazards arising from the substance or mixture In heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function.
 For 5.2 : Duri 5.3 / Provide the set of t	Special hazards arising from the substance or mixture ing heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. Evaluate and restrict access.
 For 5.2 : Duri 5.3 / Produce In the clother weater we	Special hazards arising from the substance or mixture ing heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. Example adequate ventilation
 For 5.2 : Duri 5.3 / Protection Protection Measurement Weasurement Weasurement Addate Cooling Cooling SEC 6.1 / Isola Evalue Elim 	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. Exate and restrict access. are adequate ventilation inate all sources of ignition.
 For 5.2 : Duri 5.3 / Protection Protection Measurement Weasurement Addate Collection Collection Addate Collection Coll	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures re leaks as long as it does not pose an additional risk to the people who perform this function. usate and restrict access. are adequate ventilation inate all sources of ignition. Environmental precautions:
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hazards arising from the substance or mixture have been been been been been been been be
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture ng heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures re leaks as long as it does not pose an additional risk to the people who perform this function. usate and restrict access. are adequate ventilation inate all sources of ignition. Environmental precautions:
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. ure adequate ventilation inate all sources of ignition. Environmental precautions: e with plenty of water. ot allow to enter sewers/ surface or ground water.
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. ure adequate ventilation inate all sources of ignition. Environmental precautions: e with plenty of water. ot allow to enter sewers/ surface or ground water.
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. ure adequate ventilation inate all sources of ignition. Environmental precautions: e with plenty of water. ot allow to enter sewers/ surface or ground water.
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. ure adequate ventilation inate all sources of ignition. Environmental precautions: e with plenty of water. ot allow to enter sewers/ surface or ground water.
 For 5.2 : Duri 5.3 / Protection In the clother weater of the clot	Special hazards arising from the substance or mixture hg heating or in case of fire poisonous gases are produced. Advice for firefighters ective equipment: e work of extinction it is necessary to provide respiratory protection and full chemical protective ing. r fully protective suit. r self-contained respiratory protective device. itional information ect contaminated fire fighting water separately. It must not enter the sewage system. endangered receptacles with water spray. CTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures te leaks as long as it does not pose an additional risk to the people who perform this function. ure adequate ventilation inate all sources of ignition. Environmental precautions: e with plenty of water. ot allow to enter sewers/ surface or ground water.



according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 3)

- · 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Earthing/equipotential bonding of the container and receiving equipment Only use tools that do not produce sparks. Take precautionary measures against electrostatic discharge. Avoid breathing mist/vapours/spray. Open and handle receptacle with care. Do not eat, drink or smoke during use. Wash hands after any manipulation. Ensure good ventilation/exhaustion at the workplace. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Store in a cool, dry, well-ventilated place. Store only in unopened original receptacles. Observe the product label precautions and storage information. Information about storage in one common storage facility: Not required. Store away from foodstuffs. · Further information about storage conditions: Keep container tightly sealed. 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection
 - · 8.1 Control parameters
 - · Additional information about design of technical facilities: No further data; see item 7.
 - · Ingredients with limit values that require monitoring at the workplace:

68-12-2 N,N-dimethylformamide

- WEL Short-term value: 30 mg/m³, 10 ppm Long-term value: 15 mg/m³, 5 ppm
- Sk **DNELs**
 - DNEL worker, cronic. Systematic effects: Dermic 1.1 mg/kg body weight
 - DNEL worker, cronic. Systematic effects: Inhalative 6 mg/m3
 - DNEL consumer, prolonged. Systematic effects: Oral 0.16 mg/kg body weight
 - DNEL consumer, prolonged. Systematic effects: Inhalative 1.1 mg/m3
- **PNECs**
- PNEC (Freshwater sediments): 111 mg/kg
- PNEC (Seawater sediments): 11.1 mg/kg
- PNEC (Residual water depuration system): 44 mg/kg

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 4)

· Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
- Form:
- Colour:
- Odour:
- · Odour threshold:
- · pH-value:

7

Fluid

Colourless

Amine-like

Not determined.

- Change in condition Melting point/freezing point: -61 °C Initial boiling point and boiling range: 152.5-153.5 °C
- · Flash point:
- · Flammability (solid, gas):

58 °C Not applicable.

(Contd. on page 6)

Page 6/13

Scharlau

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 7.0

Revision: 28.07.2022

(Contd. of page 5)

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

- · Ignition temperature:
- Decomposition temperature:
- Auto-ignition temperature:
- Explosive properties:
- Explosion limits: Lower: Upper:
- · Vapour pressure at 20 °C:
- · Density at 20 °C:
- · Relative density
- · Vapour density
- Evaporation rate
- Solubility in / Miscibility with water:
- · Partition coefficient: n-octanol/water:
- Viscosity: Dynamic at 20 °C: Kinematic:

9.2 Other information

440 °C Not determined. Not determined.

2.2 Vol % 16 Vol %

3.7 hPa

0.95 g/cm³ Not determined. Not determined. Not determined.

Fully miscible.

Not determined.

0.802 mPas Not determined.

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- Stable under normal conditions. If used according to the regulation no decomposition occurs.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** Heat, open flames and sparks Radiation Electrostatic charges
- Exposure to light
- 10.5 Incompatible materials: Strong acids
 Strong alkalis
 Oxidising materials.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful in contact with skin or if inhaled.

•	LD/L030	values le	levalle i or classifica
	Oral	LD50	2800 mg/kg (rat)
	Dermal	LD50	1500 mg/kg (rabbit)
	Inhalative	LC50/4 h	12 mg/l (rat)

(Contd. on page 7)

Page 7/13

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 6)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- May damage the unborn child.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- Toxicity to fish

LC50 - Pimephales promelas (Fathead piscardo) - 10400 mg/L - 96 h

NOEC - Oryzias latipes (Carpa) - 102 mg/L (8h)

Toxicity to daphnia and other aquatic invertebrates

- EC50 Daphnia magna (large sea flea) 15700 mg/L 48 h
- NOEC Daphnia magna (large sea flea) 1500 mg/L 8h
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** Bioconcentration factor (BCF): 3 Log Pow: -1.01 (25°C)

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- 12.4 Mobility in soil
 Log Koc: 7 (25°C)
 Surface tension: 34.43 mN/m
 Very mobile
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

l considerations

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 7)

- · Uncleaned packaging:
- · Recommendation:
- Packagings that may not be cleansed are to be disposed of in the same manner as the product. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number ADR, IMDG, IATA UN2265 14.2 UN proper shipping name · ADR 2265 N,N-DIMETHYLFORMAMIDE · IMDG, IATA N,N-DIMETHYLFORMAMIDE 14.3 Transport hazard class(es) · ADR, IMDG, IATA 3 Flammable liquids. Class Label 3 14.4 Packing group ADR, IMDG, IATA Ш 14.5 Environmental hazards: wise · Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 30 · EMS Number: 3-06 Stowage Category Α 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: · ADR Limited quantities (LQ) 5L Transport category 3 · Tunnel restriction code D/E · UN "Model Regulation": UN 2265 N,N-DIMETHYLFORMAMIDE, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I -
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 40, 72

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

- Contd. of page 8) • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II Substance is not listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- 68-12-2 N,N-dimethylformamide
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008
 The classification of the mixture is generally based on the calculation method using substance data
 according to Regulation (EC) No 1272/2008.
- · Department issuing SDS: product safety department
- · Contact: msds@scharlab.com
- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

ie wise ch

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

wise choice

- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 3: Flammable liquids Category 3

ne wise choic

- Acute Tox. 4: Acute toxicity Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Repr. 1B: Reproductive toxicity Category 1B

(Contd. on page 10)

he wise choice

hewise

Page 10/13

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 9)

Annex: Exposure scenario 1

- · 1 Short title of the exposure scenario Industrial use
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC21 Laboratory chemicals
- Process category PROC15 Use as laboratory reagent
- Environmental release category
- ERC1 Manufacture of the substance ERC2 Formulation into mixture
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- *Duration and frequency* 5 workdays/week.
- 8hrs (full working shift).
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture
- Raw material.
- It covers a percentage of substance in the product up to 100 %
- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.

· Other operational conditions affecting worker exposure

Keep container in a well-ventilated place.

Enter closed rooms only if ventilation is adequate.

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

- · Other operational conditions affecting consumer exposure No special measures required.
- · Risk management measures

• Worker protection

Organisational protective measures

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.

· Technical protective measures

- Ensure that suitable extractors are available on processing machines
- Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- Environmental protection measures
- · Air No special measures required.

(Contd. on page 11)

Page 11/13



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 10)

- · Water No special measures required. · Soil No special measures required.
- · Disposal measures Disposal must be made according to official regulations. Ensure that waste is collected and contained.
- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging

ne wise choice

he wise choic

- 3 Exposure estimation
- · Worker (dermal) RCR: 0.01

Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.

- Worker (inhalation)
- RCR: 0.20

wise choice

Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.

4 - Guidance for downstream users Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8. Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment. For the risk assessment, the tools recommended by ECHA can be used.

e wise

(Contd. on page 12)

ine wise choice

wisechoi

Page 12/13

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

Version number 7.0

Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

(Contd. of page 11)

Annex: Exposure scenario 2

- · 1 Short title of the exposure scenario Laboratory use
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC21 Laboratory chemicals
- Process category PROC15 Use as laboratory reagent
- Environmental release category
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC6a Use of intermediate
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · 2 Conditions of use
- *Duration and frequency* 5 workdays/week.
- 8hrs (full working shift).
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture
- Raw material.
- It covers a percentage of substance in the product up to 100 %
- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.

Other operational conditions affecting worker exposure

Indoor application.

Keep container in a well-ventilated place.

Enter closed rooms only if ventilation is adequate.

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

· Other operational conditions affecting consumer exposure No special measures required.

- Risk management measures
- Use in a ventilated with filtered air pressurized cabin. Effectiveness 90%
- · Worker protection
- · Organisational protective measures
- Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
- Technical protective measures

Ensure that suitable extractors are available on processing machines

- *Personal protective measures* Do not inhale gases / fumes / aerosols.
- Avoid contact with the skin.
- Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Measures for consumer protection Ensure adequate labelling.

(Contd. on page 13)

Page 13/13



according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Scharlau

wise choice

Version number 7.0


Revision: 28.07.2022

Trade name: N,N-Dimethylformamide, dried (max. 0,01% H2O), for analysis, ExpertQ®

wise

ne wise choir

(Contd. of page 12)



wise

he wise choice