

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP**Article number:** FE0480**CAS Number:**

108-95-2

**EC number:**

203-632-7

**Index number:**

604-001-00-2

**Registration number** 01-2119471329-32-XXXX**1.2 Relevant identified uses of the substance or mixture and uses advised against****Process category**

PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC15 Use as laboratory reagent

**Application of the substance / the preparation:** Laboratory reagent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

**Regional representation:**

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

**Further information obtainable from:** technical department**1.4 Emergency telephone number:**

Please contact the regional Scharlab distributor/dealer in your country

During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 health hazard

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 1)

Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS05



GHS06



GHS08



GHS09

##### Signal word Danger

##### Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

##### Precautionary statements

P260 Do not breathe dusts or mists.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

##### 2.3 Other hazards

##### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1 Chemical characterisation: Substances

#### CAS No. Description

108-95-2 phenol

#### Identification number(s)

**EC number:** 203-632-7

**Index number:** 604-001-00-2

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 2)

### SECTION 4: First aid measures

#### • 4.1 Description of first aid measures

##### • **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

##### • **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### • **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

##### • **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### • **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

#### • 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### • 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### • 5.1 Extinguishing media

##### • **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### • 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### • 5.3 Advice for firefighters

##### • **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### • 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### • 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### • 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### • 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### • 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 3)

- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**

#### 108-95-2 phenol

WEL Short-term value: 16 mg/m<sup>3</sup>, 4 ppmLong-term value: 7.8 mg/m<sup>3</sup>, 2 ppm

Sk

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 4)

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:****Form:**

Solid

**Colour:**

Whitish

**Odour:**

Sweetish

**Odour threshold:**

Not determined.

**pH-value:**

Not applicable.

**Change in condition****Melting point/freezing point:**

40.8 °C

**Initial boiling point and boiling range:**

181.8 °C

**Flash point:**

81 °C

**Flammability (solid, gas):**

Product is not flammable.

**Ignition temperature:**

595 °C

**Decomposition temperature:**

Not determined.

**Auto-ignition temperature:**

Not determined.

**Explosive properties:**

Product does not present an explosion hazard.

**Explosion limits:****Lower:**

1.3 Vol %

**Upper:**

9.5 Vol %

**Vapour pressure at 20 °C:**

0.3 hPa

**Density at 20 °C:**1.0576 g/cm<sup>3</sup>**Relative density**

Not determined.

**Vapour density**

Not applicable.

**Evaporation rate**

Not applicable.

**Solubility in / Miscibility with water at 20 °C:**

82 g/l

**Partition coefficient: n-octanol/water:**

Not determined.

**Viscosity:****Dynamic:**

Not applicable.

**Kinematic:**

Not applicable.

**9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 5)

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Toxic if swallowed, in contact with skin or if inhaled.
- **LD/LC50 values relevant for classification:**  
Oral LD50 317 mg/kg (rat)  
Dermal LD50 850 mg/kg (rabbit)
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity**  
Suspected of causing genetic defects.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.06.2022




Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 6)

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>14.1 UN-Number</li> <li>ADR, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>ADR</li> </ul>	UN1671  1671 PHENOL, SOLID, ENVIRONMENTALLY HAZARDOUS PHENOL, SOLID, MARINE POLLUTANT PHENOL, SOLID
<ul style="list-style-type: none"> <li>IMDG</li> <li>IATA</li> <li>14.3 Transport hazard class(es)</li> <li>ADR, IMDG</li> </ul>	
 	
<ul style="list-style-type: none"> <li>Class</li> <li>Label</li> </ul>	6.1 Toxic substances. 6.1
<ul style="list-style-type: none"> <li>IATA</li> </ul>	
	
<ul style="list-style-type: none"> <li>Class</li> <li>Label</li> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> <li>Special marking (ADR):</li> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</li> <li>Transport/Additional information:</li> </ul>	6.1 Toxic substances. 6.1  II Environmentally hazardous substance, solid; Marine Pollutant Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Toxic substances. 60 F-A,S-A A  Not applicable.
<ul style="list-style-type: none"> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>UN "Model Regulation":</li> </ul>	500 g 2 D/E UN 1671 PHENOL, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I -

(Contd. on page 8)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 7)

- **Seveso category**  
H2 ACUTE TOXIC  
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**  
Substance is not listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Classification according to Regulation (EC) No 1272/2008**  
The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
- **Department issuing SDS:** product safety department
- **Contact:** msds@scharlab.com
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Muta. 2: Germ cell mutagenicity – Category 2  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 8)

**Annex: Exposure scenario**

- **1 - Short title of the exposure scenario** Industrial use
- **Sector of Use**  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Product category** PC21 Laboratory chemicals
- **Process category** PROC15 Use as laboratory reagent
- **Environmental release category**  
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **2 - Conditions of use**
- **Duration and frequency**  
Emission days (days/year): 360  
5 workdays/week.  
8hrs (full working shift).
- **Physical parameters**
- **Physical state** Solid
- **Concentration of the substance in the mixture**  
Raw material.  
It covers a percentage of substance in the product up to 100 %
- **Used amount per time or activity** 5.98 tons per year
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
Avoid contact with eyes.  
Avoid contact with the skin.  
Avoid breathing particles.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures**  
Keep good industrial hygiene.  
Washing facilities / Water for cleaning eyes and skin should be available.  
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
- **Technical protective measures**  
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
Do not inhale dust / smoke / mist.  
Avoid contact with the skin.  
Avoid contact with the eyes.  
Tightly sealed goggles  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**  
Use appropriate container to avoid environmental contamination.  
Keep product waste away from uncontaminated waste.

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.06.2022

Version number 4.0

Revision: 01.06.2022

**Trade name:** Phenol, crystallized, Pharmpur®, Ph Eur, BP, USP

(Contd. of page 9)

**• Water**

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

**• Notes** In case of unintended release of the product: See section 6 of the Safety Data Sheet.**• Disposal measures**

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

Ensure that all wastewater is collected and treated in a wastewater treatment plant.

**• Disposal procedures**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**• Waste type** Partially emptied and uncleaned packaging**• 3 - Exposure estimation****• Consumer** Not relevant for this Exposure Scenario.**• 4 - Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

For the risk assessment, the tools recommended by ECHA can be used.