

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

**Article number:** HI0143

### Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the preparation:** Laboratory reagent

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

#### Regional representation:

Scharlab, S.L.

C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa

08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65

email: scharlab@scharlab.com

Internet Web Site: www.scharlab.com

**Further information obtainable from:** technical department

### 1.4 Emergency telephone number:

Toxicological Information National Institute of Toxicology and Forensic Sciences: + 34 91 562 04 20. The information will be provided (24h/365 days)

Please contact the regional Scharlab distributor/dealer in your country

During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 1)

## Hazard pictograms



GHS05 GHS07

## Signal word Danger

## Hazard-determining components of labelling:

hydrogen peroxide solution

## Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

## Precautionary statements

P280 Wear eye protection / face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Aqueous solution

### Dangerous components:

CAS: 7722-84-1

EINECS: 231-765-0

Reg.nr.: 01-2119485845-22-

XXXX

hydrogen peroxide solution

≥25-&lt;35%

⚠ Ox. Liq. 1; H271; ⚠ Skin Corr. 1A; H314; ⚠ Acute  
Tox. 4; H302; Acute Tox. 4; H332

Specific concentration limits:

Ox. Liq. 1; H271: C ≥ 70%

Ox. Liq. 2; H272: 50 % ≤ C &lt; 70 %

Skin Corr. 1A; H314: C ≥ 70 %

Skin Corr. 1B; H314: 50 % ≤ C &lt; 70 %

Skin Irrit. 2; H315: 35 % ≤ C &lt; 50 %

Eye Dam. 1; H318: C ≥ 8 %

Eye Irrit. 2; H319: 5 % ≤ C &lt; 8 %

STOT SE 3; C ≥ 35 %

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 2)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Treat symptomatically.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
In the work of extinction it is necessary to provide respiratory protection and full chemical protective clothing.  
Cool exposed containers with water spray or mist.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Do not eat, drink or smoke during use.  
Wash hands after any manipulation.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool, dry, well-ventilated place.  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
See product's label for recommended storage temperature.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
**7722-84-1 hydrogen peroxide solution**  
WEL Short-term value: 2.8 mg/m<sup>3</sup>, 2 ppm  
Long-term value: 1.4 mg/m<sup>3</sup>, 1 ppm
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



# Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 4)

**Eye/face protection**


Tightly sealed goggles

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**
**General Information**
**Physical state**

Fluid

**Colour:**

Colourless

**Odour:**

Characteristic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

-26 °C

**Boiling point or initial boiling point and boiling range**

100 °C

**Flammability**

Not applicable.

**Lower and upper explosion limit**
**Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

Not applicable.

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

2-3

**Viscosity:**
**Kinematic viscosity**

Not determined.

**Dynamic:**

Not determined.

**Solubility**
**water:**

Fully miscible.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure at 20 °C:**

23 hPa

**Density and/or relative density**
**Density at 20 °C:**
1.112 g/cm<sup>3</sup>
**Relative density**

Not determined.

**Vapour density**

Not determined.

**9.2 Other information**
**Appearance:**
**Form:**

Fluid

**Important information on protection of health and environment, and on safety.**
**Auto-ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Solvent content:**
**Water:**

70.0 %

**Change in condition**
**Evaporation rate**

Not determined.

**Information with regard to physical hazard classes**
**Explosives**

Void

**Flammable gases**

Void

**Aerosols**

Void

**Oxidising gases**

Void

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 5)

- |                                                                                    |      |
|------------------------------------------------------------------------------------|------|
| • <b>Gases under pressure</b>                                                      | Void |
| • <b>Flammable liquids</b>                                                         | Void |
| • <b>Flammable solids</b>                                                          | Void |
| • <b>Self-reactive substances and mixtures</b>                                     | Void |
| • <b>Pyrophoric liquids</b>                                                        | Void |
| • <b>Pyrophoric solids</b>                                                         | Void |
| • <b>Self-heating substances and mixtures</b>                                      | Void |
| • <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| • <b>Oxidising liquids</b>                                                         | Void |
| • <b>Oxidising solids</b>                                                          | Void |
| • <b>Organic peroxides</b>                                                         | Void |
| • <b>Corrosive to metals</b>                                                       | Void |
| • <b>Desensitised explosives</b>                                                   | Void |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat
- **10.5 Incompatible materials:** Various metals
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.
- **LD/LC50 values relevant for classification:**  
Oral LD50 >2,000 mg/kg (rat)  
Inhalative LC50/4 h >20 mg/l (rat)
- **Serious eye damage/irritation** Causes serious eye damage.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**  
None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 6)

• **12.7 Other adverse effects**

• **Additional ecological information:**

• **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

• **13.1 Waste treatment methods**

• **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• **Uncleaned packaging:**

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

• **14.1 UN number or ID number**

• **ADR, IMDG, IATA**

UN2014

• **14.2 UN proper shipping name**

• **ADR**

2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION  
HYDROGEN PEROXIDE, AQUEOUS SOLUTION

• **IMDG, IATA**

• **14.3 Transport hazard class(es)**

• **ADR**



• **Class**

5.1 Oxidising substances.

• **Label**

5.1+8

• **IMDG**



• **Class**

5.1 Oxidising substances.

• **Label**

5.1/8

• **IATA**



• **Class**

5.1 Oxidising substances.

• **Label**

5.1 (8)

• **14.4 Packing group**

• **ADR, IMDG, IATA**

II

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 7)

- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Warning: Oxidising substances.
- **Hazard identification number (Kemler code):** 58
- **Segregation groups** (SGG16) Peroxides
- **Stowage Category** D
- **Stowage Code** SW1 Protected from sources of heat.
- **Segregation Code** SG16 Stow "separated from" class 4.1  
SG59 Stow "separated from" SGG14-permanganates  
SG72 See 7.2.6.3.2.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **Transport/Additional information:**
- **ADR**
- **Limited quantities (LQ)** 1L
- **Transport category** 2
- **Tunnel restriction code** E
- **UN "Model Regulation":** UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** N/A
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H271 May cause fire or explosion; strong oxidiser.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.
- **Department issuing SDS:** product safety department
- **Contact:** msds@scharlab.com
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31 Commission**  
**regulation (EU) 2020/878**

Printing date 13.03.2023

Version number 7.0 (replaces version 6.0)

Revision: 13.03.2023

**Trade name:** Hydrogen peroxide, solution 30% w/w (110 vol), Ultratrace®, ppt-trace analysis grade

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Ox. Liq. 1: Oxidizing liquids – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1