according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Isoparaffin L, EssentQ®
- · Article number: IS0170
- · CAS Number:
- 90622-58-5
- *EC number:* 292-460-6
- · Registration number 01-2119456810-40-XXXX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 Sector of Use
 - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU9 Manufacture of fine chemicals
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- SU24 Scientific research and development
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN
 Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
 email: scharlab@scharlab.com
 Internet Web Site: www.scharlab.com
 Regional representation: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN

Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

- Further information obtainable from: technical department
- **1.4 Emergency telephone number:** Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

wisechoi

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

Trade name: Isoparaffin L, EssentQ®

(Contd. of page 1)

GHS08

· Signal word Danger

· Hazard pictograms

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
 CAS No. Description
- 90622-58-5 C11-15-Isoalkanes
- · Identification number(s)
- · EC number: 292-460-6

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Call a doctor immediately. Supply fresh air; consult doctor in case of complaints.
- After skin contact:
 Immediately remove contaminated clothing.
- Wash off immediately with plenty of water for at least 15 minutes.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Call a doctor immediately. Do not induce vomiting. Risk of perforation.

le wise choic

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

Trade name: Isoparaffin L, EssentQ®

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Carbon dioxide Fire-extinguishing powder Alcohol resistant foam Do NOT use pressurized water.
- For safety reasons unsuitable extinguishing agents: Water 5.2 Special hazards arising from the substance or mixture
- Carbon monoxide (CO) Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
 - In the work of extinction it is necessary to provide respiratory protection and full chemical protective clothing.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid sources of ignition.
- Ventilate area.
- Use water fog to evaporate or ventilate.

If confined space, use self-contained breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- It must be stored between 5 40 °C.
- Information about storage in one common storage facility: Not required.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

(Contd. of page 3)

Trade name: Isoparaffin L, EssentQ®

Further information about storage conditions: Keep container tightly sealed.
 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Colour:
- · Odour:
- · Odour threshold:
- · pH-value:

- Fluid Colourless Characteristic Not determined.
- Not determined.

Not applicable.

62 °C

- Change in condition Melting point/freezing point: <-18 °C Initial boiling point and boiling range: 185-213 °C
- · Flash point:
- · Flammability (solid, gas):

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Revision: 02.06.2021

(Contd. of page 4)

Trade name: Isoparaffin L, EssentQ®

- · Ignition temperature:
- Auto-ignition temperature:
- Explosive properties:
- Explosion limits: Lower: Upper:
- · Vapour pressure:
- · Density at 20 °C:
- · Relative density
- · Vapour density
- Evaporation rate
- Solubility in / Miscibility with water:
- Partition coefficient: n-octanol/water:
- Viscosity: Dynamic at 20 °C: Kinematic:
- 9.2 Other information

>260 °C

Not determined.

Product does not present an explosion hazard.

Not determined. Not determined.

Not determined.

0.77 g/cm³ Not determined. Not determined. Not determined.

Not determined.

Not determined.

1.29 mPas Not determined.

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- Stable under normal conditions. If used according to the regulation no decomposition occurs.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with oxidising agents.
- · 10.4 Conditions to avoid Heat, open flames and sparks
- · 10.5 Incompatible materials: Strong oxidizing agents.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known. Carbon oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
 Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
 Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
 STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 07.06.2021

Scharlau

Version number 1.0

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

(Contd. of page 5)

Trade name: Isoparaffin L, EssentQ®

· Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

ie wise choic

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	.0.
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	Cr.
· ADR, IMDG, IATA	Void
• 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Anr	nex II
of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 1.0

Revision: 02.06.2021

Trade name: Isoparaffin L, EssentQ®

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU

wise choice

- · Named dangerous substances ANNEX I -
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
 Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

ne wise choic

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
- · Department issuing SDS: product safety department
- Contact: msds@scharlab.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox, 1: Aspiration hazard – Category 1

e wise

ine wise choice