Printing date 24.03.2023

Scharlau

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur
- Article number: PO0220
- · CAS Number:
- 7778-50-9 • *EC number:* 231-906-6
- Index number: 024-002-00-6
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

SDS according to Article 31 of Regulation (EC) 1907/2006. According to Article 14 (1) of UK REACH Regulation (EC) No 1907/2006, exposure assessment and risk characterisation are not required.

- · Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sontmonat (Barcolona) SPAIN

08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

Regional representation:

Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com


· Further information obtainable from: Technical Department

• 1.4 Emergency telephone number:

Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



(Contd. on page 2)

Printing date 24.03.2023

Scharlau

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

40			(Contd. of page 1)
health ha	zard	ice	
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathin inhaled.	g difficulties if
Muta. 1B	H340	May cause genetic defects.	
Carc. 1B	H350	May cause cancer.	
	H360FD	May damage fertility. May damage the unborn child.	
STOT RE 1	H372	Causes damage to the respiratory system through repeated exposure.	n prolonged or
P		ice	
corrosion)		
Skin Corr. 1B	H314	Causes severe skin burns and eye damage.	
¥ .			
environm	ient		
Aquatic Acute 1	H400	Very toxic to aquatic life.	
Aquatic Chronic 1 I		Very toxic to aquatic life with long lasting effects.	
			C.
			ise
		Harmful in contact with skin.	O.VN
Skin Sens. 1	H317	May cause an allergic skin reaction.	
· 2.2 Label element			
		egulation (EC) No 1272/2008 and labelled according to the GB CLP regulation.	
 Hazard pictogram 			
V (- Arth		
GHS03 GHS05	GHSOF	GHS08 GHS09	
 Signal word Dang Hazard statement 			
H272 May inten		oxidiser.	
H301 Toxic if sv			
H312 Harmful ir H330 Fatal if inf		t with skin.	
		in burns and eye damage.	
H334 May cause	e allergy	or asthma symptoms or breathing difficulties if inhaled.	
H317 May cause	e an alle	rgic skin reaction.	ice
H340 May cause H350 May cause			NO ,
		ity. May damage the unborn child.	, CV .
H372 Causes da	amage t	o the respiratory system through prolonged or repeated e	xposure.
H410 Very toxic	to aqua	tic life with long lasting effects.	(Contd. on page 3)
	<u>Nu</u>	A THO	(1 5 mai 5 m page 5)

Printing date 24.03.2023 Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 2)

 Precautionary state 	atements		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition		
	sources. No smoking.		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.		
P303+P361+P353	FON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin		
	with water [or shower].		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
P320	Specific treatment is urgent (see on this label).		
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local/regional/national/		
	international regulations.		
· 2.3 Other hazards			

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

Scharlau

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

- · CAS No. Description
- 7778-50-9 potassium dichromate
- · Identification number(s)
- · EC number: 231-906-6
- · Index number: 024-002-00-6
- · SVHC

7778-50-9 potassium dichromate

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. *After swallowing:*

- Do not induce vomiting; call for medical help immediately.
- Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)



Scharlau

Safety data sheet according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 24.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 3)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Do not eat, drink or smoke during use.

- Wash hands after handling.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. See product's label for recommended storage temperature.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

Scharlau

Safety data sheet according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 24.03.2023

23 Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

7778-50-9 potassium dichromate

WEL Long-term value: 0.01 0.025* mg/m³ as Cr; Carc, Sen, BMGV; *process generated

· Ingredients with biological limit values:

- 7778-50-9 potassium dichromate
- BMGV 10 µmol/mol creatinine
 - Medium: urine
 - Sampling time: post shift
 - Parameter: chromium
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection



Tightly sealed goggles

(Contd. on page 6)



Printing date 24.03.2023

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 5)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- · Odour:
- Odour threshold:
- Melting point/freezing point:
- · Boiling point or initial boiling point and boiling range
- Flammability
- Lower and upper explosion limit
- · Lower:
- · Upper:
- Flash point:
- · Decomposition temperature:
- · pH
- Viscosity:
- Kinematic viscosity
- Dynamic:
- Solubility
- water at 20 °C:
- Partition coefficient n-octanol/water (log value)
- · Vapour pressure at 20 °C:
- · Density and/or relative density
- · Density at 20 °C:
- · Relative density
- · Vapour density
- 9.2 Other information
- · Appearance:
- · Form:
- Important information on protection of health and environment, and on safety.
- Auto-ignition temperature:
- · Explosive properties:
- · Molecular weight
- · Change in condition · Evaporation rate
- · Information with regard to physical hazard classes
- **Explosives**
- · Flammable gases · Aerosols
- · Oxidising gases · Gases under pressure
- · Flammable liquids
- · Flammable solids
- Self-reactive substances and mixtures
- · Pyrophoric liquids
- · Pyrophoric solids
- Self-heating substances and mixtures

Solid Orange Odourless Not determined. 398 °C

>500 °C Contact with combustible material may cause fire.

Not determined. Not determined. Not applicable. Not determined. Not applicable.

Not applicable. Not applicable.

125 g/l

Not determined. 0 hPa

2.676 g/cm3 Not determined. Not applicable.

Crystalline

Not determined. Product does not present an explosion hazard. 294.19 g/mol

Not applicable.

Void

(Contd. on page 7)

Printing date 24.03.2023

Scharlau

Version number 14.0 (replaces version 13.0)

Void

Void

Void

Void

Void

May intensify fire; oxidiser.

Revision: 23.03.2023

(Contd. of page 6)

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

- Substances and mixtures, which emit flammable gases in contact with water
- Oxidising liquids
- Oxidising solids
- Organic peroxides
- Corrosive to metals
- Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Toxic if swallowed.
- Harmful in contact with skin. Fatal if inhaled.
- · LD/LC50 values relevant for classification:

Oral LD50 190 mg/kg (mouse)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Respiratory or skin sensitisation
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
- · Germ cell mutagenicity May cause genetic defects.
- · Carcinogenicity May cause cancer.
- Reproductive toxicity May damage fertility. May damage the unborn child.
- · STOT-repeated exposure
- Causes damage to the respiratory system through prolonged or repeated exposure.
- 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31 Commission regulation (EU) 2020/878

Printing date 24.03.2023

Scharlau

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 7)

12.7 Other adverse effects

- Remark: Very toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UN3288

HAZARDOUS

dichromate)

3288 TOXIC SOLID, INORGANIC, N.O.S. (potassium dichromate), ENVIRONMENTALLY

TOXIC SOLID, INORGANIC, N.O.S. (potassium

TOXIC SOLID, INORGANIC, N.O.S. (potassium

dichromate), MARINE POLLUTANT

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA
- 14.2 UN proper shipping name
- · ADR
- · IMDG
- · IATA
- 14.3 Transport hazard class(es)
- · ADR, IMDG



- Class
- Label
- ·IATA



- · Class
- · Label
- 14.4 Packing group • ADR, IMDG, IATA

6.1 Toxic substances.

6.1 Toxic substances.

- 6.1
- Ш

6.1

(Contd. on page 9)

Version number 14.0 (replaces version 13.0)

Yes

В

Marine Pollutant

Symbol (fish and tree)

Symbol (fish and tree)

Warning: Toxic substances.

regulation (EO) 2020/

Revision: 23.03.2023

(Contd. of page 8)

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

· 14.5 Environmental hazards:

· Marine pollutant:

Printing date 24.03.2023

Scharlau

· Special marking (ADR):

- 14.6 Special precautions for user
- Hazard identification number (Kemler code): 60
- Stowage Category
- 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

- Transport category
- · Tunnel restriction code
- · UN "Model Regulation":

500 g

D/E UN 3288 TOXIC SOLID, INORGANIC, N.O.S. (POTASSIUM DICHROMATE), 6.1, II, ENVIRONMENTALLY HAZARDOUS

Environmentally hazardous substance, solid;

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I -
- Seveso category
- H2 ACUTE TOXIC
- P8 OXIDISING LIQUIDS AND SOLIDS
- E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV) Sunset date: 2017-09-21
- National regulations:
- Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- Substances of very high concern (SVHC) according to UK REACH
- 7778-50-9 potassium dichromate

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- Contact: msds@scharlab.com
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 10)

Printing date 24.03.2023

Scharlau

Version number 14.0 (replaces version 13.0)

Revision: 23.03.2023

Trade name: Potassium dichromate, for analysis, ExpertQ®, ACS, ISO, Reag. Ph Eur

(Contd. of page 9) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PB1: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Resp. Sens. 1: Respiratory sensitivation – Category 1B Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 1B: Germ cell mutagenicity - Category 1B Carc. 1B: Carcinogenicity – Category 1B Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1