according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 2.0

Revision: 02.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®
- · Article number: SO0417
- **1.2** Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the preparation: Laboratory reagent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Scharlab, S.L.
 C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN
 Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65
 email: scharlab@scharlab.com
 Internet Web Site: www.scharlab.com

Regional representation: Scharlab, S.L. C/Gato Pérez, 33. Pol.Ind. Mas d'en Cisa 08181 Sentmenat (Barcelona) SPAIN Tel: (+34) 93 745 64 00 - FAX: (+34) 93 715 27 65 email: scharlab@scharlab.com Internet Web Site: www.scharlab.com

Further information obtainable from: technical department

· 1.4 Emergency telephone number:

Toxicological Information National Institute of Toxicology and Forensic Sciences: + 34 91 562 04 20. The information will be provided (24h/365 days) Please contact the regional Scharlab distributor/dealer in your country During normal opening times: Scharlab, S.L. (+34) 93 715 18 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- *Hazard-determining components of labelling:* sodium hydrogensulphite . . . %
- Hazard statements H302 Harmful if swallowed.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Version number 2.0

Revision: 02.06.2021

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

(Contd. of page 1)

- · Precautionary statements
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P330 Rinse mouth.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:
- EUH031 Contact with acids liberates toxic gas.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

- · Description: Aqueous solution
- · Dangerous components:

CAS: 7631-90-5 sodium hydrogensulphite . . . % EINECS: 231-548-0 () Acute Tox. 4, H302 25-50%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

wise choir

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 2.0

Revision: 02.06.2021

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7631-90-5 sodium hydrogensulphite . . . %

- WEL Long-term value: 5 mg/m³
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 2.0

Revision: 02.06.2021

(Contd. of page 3)

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance:
- Form: Colour:
- Odour:
- Odour threshold:
- · pH-value:
- · Change in condition Melting point/freezing point: Initial boiling point and boiling range: 100 °C
- · Flash point:
- · Flammability (solid, gas):
- Decomposition temperature:
- Auto-ignition temperature:
- · Explosive properties:
- · Explosion limits: Lower: **Upper:**
- Vapour pressure at 20 °C:
- Density at 20 °C:
- Relative density
- Vapour density
- · Evaporation rate
- Solubility in / Miscibility with water:
- · Partition coefficient: n-octanol/water:
- Viscosity: Dynamic: Kinematic:
- Solvent content: Water: Solids content:
- 9.2 Other information

Fluid Pale Characteristic Not determined. Not determined.

Undetermined.

- Not applicable.
- Not applicable.
- Not determined.
- Product is not selfigniting.
- wiseche Product does not present an explosion hazard.

Not determined. Not determined.

23 hPa

1.192 g/cm³ Not determined. Not determined. Not determined.

Not miscible or difficult to mix.

Not determined.

Not determined. Not determined.

60.0 %

40.0 %

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 2.0

Revision: 02.06.2021

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

(Contd. of page 4)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.
- LD/LC50 values relevant for classification:
- 7631-90-5 sodium hydrogensulphite ... %
- Oral LD50 2000 mg/kg (rat)
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Scharlau

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Version number 2.0

UN2693

2693 BISULPHITES, AQUEOUS SOLUTION,

BISULPHITES, AQUEOUS SOLUTION, N.O.S.

BISULPHITES, AQUEOUS SOLUTION, N.O.S.

N.O.S. (sodium hydrogensulphite . . . %)

(sodium hydrogensulphite . . . %)

Revision: 02.06.2021

(Contd. of page 5)

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA
- 14.2 UN proper shipping name
- · ADR
- ·IMDG
- · IATA
- · 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class	8 Corrosive substances.
· Label	8
• 14.4 Packing group	
· ADR, IMDG, IATA	
 14.5 Environmental hazards: 	10°
• Marine pollutant:	No
 14.6 Special precautions for user 	Warning: Corrosive substances.
 Hazard identification number (Kemler code). 	80
· EMS Number:	F-A,S-B
Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Annex II	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E vov
· UN "Model Regulation":	UN 2693 BISULPHITES, AQUEOUS SOLUTION,
	N.O.S. (SODIUM HYDROGENSULPHITE %),
	8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 07.06.2021

Scharlau

Version number 2.0

Revision: 02.06.2021

he wise choice

Trade name: Sodium hydrogen sulfite, solution 40%, EssentQ®

• <u>DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in</u> electrical and electronic equipment – Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: product safety department
- · Contact: msds@scharlab.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

le wise

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

wise choice

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

hewisechoic