

Technical Data Sheet TA0201

Tantalum, standard solution 1000 mg/l for ICP (Ta in HNO₃ 5% + HF 1%)

Identification

Taric code: 3822 00 00

Specifications

concentration...... 1000 mg/l

This standard solution is traceable to Standard Reference Material from NIST.

Physical data

- Density: 1,03 g/cm3pH(20 °C) ~ 0,5

Safety - GHS

Signal Word: Danger

Hazard Statements:

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

Precautionary Statements:

P280: Wear protective gloves / protective clothing / eye protection / face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor / physician.

P321: Specific treatment (see on this label).

P405: Store locked up.

P501a: Dispose of contents / container in accordance with local / regional / national / international regulations.

Transport/storage

- ADR: 8 C1 II UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Tantalum, solution 1000 mg/l Ta (tantalum in nitric acid 5%))
- IMDG: 8 II UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Tantalum, solution 1000 mg/l Ta (tantalum in nitric acid 5%))
- IATA/ICAO: 8 II UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Tantalum, solution 1000 mg/l Ta (tantalum in nitric acid 5%))
- PAX: 852 CAO: 856
- 10°C 30°C